

COMFOflex®

WELDING GLOVES




Cotton lining



Foam lining




COMFOflex® lining



COMFOflex®

10-2000XL , 10-2000XL/18



- A-grade cow split leather
- Hand COMFOflex® lined
- Cuff cotton lined
- Wide body model



EVLAR® 4 ply + 5 ply


COMFOflex®

EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



Ω ELECTROSTATIC TESTED Ω

10-2000XL/LH



- Same features like the 10-2000 glove
- Left Hand only pairs (LH)



KEVLAR® 4 ply


COMFOflex®

EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



Ω ELECTROSTATIC TESTED Ω

10-2087XL




- A-grade cow shoulder split leather
- Hand full COMFOflex® lined
- Cuff cotton lined
- Wide body model



KEVLAR® 3 ply

COMFOflex®

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0001
TÜV 21128415 002




Ω ELECTROSTATIC TESTED Ω

COMFOflex® WELDING GLOVES

10-2750



L, XL, XXL



36 cm.

- A-grade cow grain leather
- Backhand COMFOflex® lined and cuff cotton lined
- Back palm reversed grain (suede)
- Oil and water resistant
- Excellent quality and comfortable to wear



30%

250°C CONTACT

KEVLAR® 4 ply



STEERSOtuff®

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0001
TÜV 21128415 002



423X4X



4143



www.weldas.com

Ω ELECTROSTATIC TESTED Ω

44-3006



- High heat reflective handshield
- Split cowhide leather and **aluminumized PFR back**

KEVLAR® 5 ply



15 cm.



20 cm.

EN 532
TÜV 744-800515/25



www.weldas.com

44-3008



- High heat reflective handshield
- Split cowhide leather and **fiber glass back**
- Extra heat resistant

KEVLAR® 5 ply



15 cm.



20 cm.

44-3009



- High heat reflective handshield
- **Fiber glass and backside of black coated fiber glass**
- Heavy duty handshield for the toughest applications

KEVLAR® 5 ply



15 cm.



20 cm.



+










=



COTTON LINED WELDING GLOVES








10-2101



 L, XL	 34 cm.	EN 12477 (09.2005) TYPE A/B TÜV BP 60017622 0003 TÜV 21128415 002 CE
<ul style="list-style-type: none"> - The 10-2101 is our general purpose glove of the range - Cow shoulder split leather - Full cotton lined - Special order item only. 		
 90%		   

10-2101GB




 L, XL	 34 cm.	EN 12477 (09.2005) TYPE A/B TÜV BP 60017622 0003 TÜV 21128415 002 CE
<ul style="list-style-type: none"> - Same as glove 10-2101, but Golden Brown™ model - Cow shoulder split leather - Full cotton lined 		
 90%		   

Weldas sizing incorporates EN 420 size standards, the lining and the intended use

(EN 420)

GLOVE AND HAND SIZE REFERENCE

Hand Size Index	7½	8½	9	9½	10½
Weldas Size Label	S	M	L	XL	XXL
Measurement mm	190	216	229	241	267



WWW.WELDAS-CE.COM