

Part No.	Reference	Description	MOQ	UOM	Barcode
----------	-----------	-------------	-----	-----	---------

Section 5. Plasma Torches & Consumables

Suregrip® Surecut® SCP25/40/60 / PT60

SCP25-60-CC1		SCP25 Plasma Torch 6m with Central connection	1	Ea.	9346277036948
SCP40-60-CC1		SCP40 Plasma Torch 6m	1	Ea.	9346277036955
SCP60-60-CC1	09637/LG	SCP60 Plasma Torch 6m	1	Ea.	9346277036962
09600		SCP20 Hand Torch Head	1	Ea.	9346277048613
09601	09601	SCP25 Hand Torch Head	1	Ea.	9346277020763
09602		SCP40 Hand Torch Head	1	Ea.	9346277020770
SCP6001	09603	SCP60 70o Torch Head	1	Ea.	9346277036979
SCP2514	09605	SCP Handle Kit	1	Ea.	9346277020824
SCP2516		SCP Safety Trigger	1	Ea.	9346277036986
07301.20		SCP60 Switch	1	Ea.	9346277048514
SCP2504	52582	SCP60 Electrode	5	Ea.	9346277036993
SCP2520-06	51318.06	SCP60 Cutting Tip 10-20A	10	Ea.	9346277037006
SCP2520-08	51318.08	SCP60 Cutting Tip 20-30A	10	Ea.	9346277037013
SCP2520-09	51318.09	SCP60 Cutting Tip 30-40A	10	Ea.	9346277037020
SCP2522-09	51312P.09	SCP60 Contact Cutting Tip 30-40A	10	Ea.	9346277037037
SCP2524-09	51313P.09	SCP60 Flat Cutting Tip 30-40A	10	Ea.	9346277037044
SCP2524-10	51313P.10	SCP60 Flat Cutting Tip 40-50A	10	Ea.	9346277037051
SCP2524-11	51313P.11	SCP60 Flat Cutting Tip 50-60A	10	Ea.	9346277037068
SCP2504E	52583	SCP60 Extended Electrode	5	Ea.	9346277037075
60368		SCP25 Wrench For Electrode	1	Ea.	9346277048606
SCP2520-06E	51318L.06	SCP60 Extended Cutting Tip 10-20A	10	Ea.	9346277037082
SCP2520-08E	51318L.08	SCP60 Extended Cutting Tip 20-30A	10	Ea.	9346277037099
SCP2522-09E	51314.09	SCP60 Extended Cutting Tip 30-40A	10	Ea.	9346277037105
51318LC.09		SCP60 Extended Shielded Tip 0.9 40A	10	Ea.	9346277048460
51318LC.10		SCP60 Extended Shielded Tip 1.0 50A	10	Ea.	9346277048453
51318LC.11		SCP60 Extended Shielded Tip 1.1 60A	10	Ea.	9346277048446
60389LC		SCP60 Shield Cap Body	1	Ea.	9346277049832
SCP2530-6	60389	SCP60 Retaining Cap 6 Holes	1	Ea.	9346277037112
60389S		SCP60 Retaining Cap 6 Holes Max Life	1	Ea.	9346277048507
60389K4		SCP40/60 Retaining Cap 4 Holes	1	Ea.	9346277047937
60389K	PC117	SCP20/25/40 Retaining Cap 2 Holes	1	Ea.	9346277040587
60389K1	PC122	SCP20/25 Retaining Cap 1 Holes	1	Ea.	9346277040570
60432		SCP60 Double Pointed Space	1	Ea.	9346277047920
SCP2506	60028	SCP60 Swirl Ring	1	Ea.	9346277037129
51620.60		SCP60 O-Ring	10	Ea.	9346277048521
SCP2551	51866	SCP60 Roller Guide	1	Ea.	9346277037136
SCP2550	51866	SCP60 Circle Cutting Kit	1	Ea.	9346277020732
60512L		SCP60 Extended Shield Cap 40-60A	1	Ea.	9346277048439
60389C		Shield Cap Body PT60	1	Ea.	9346277047890

Part No.	Reference	Description	MOQ	UOM	Barcode
60485		Shield Cap hand 30/60A	2	Ea.	9346277041829
51318C.09		Contact Cutting Tip 30-40A (Use with 60389C/60485)	10	Ea.	9346277048491
51318C.10		Contact Cutting Tip 40-50A (Use with 60389C/60485)	10	Ea.	9346277048484
51318C.11		Contact Cutting Tip 50-60A (Use with 60389C/60485)	10	Ea.	9346277048477
Suregrip® Surecut® SCP80 / PT80					
SCP80-60-CC1	09821	SCP80 Plasma Torch 6m with Central connection	1	Ea.	9346277037143
SCP8001	09800	SCP80 70o Torch Head	1	Ea.	9346277037150
SCP8014	New	SCP Handle Kit	1	Ea.	9346277037167
SCP2516	New	SCP Safety Trigger	1	Ea.	9346277036986
09705		SCP80 Handle with Switch	1	Ea.	9346277048651
07301.20		SCP80 Switch	1	Ea.	9346277048514
SCP8002	09800.42	SCP80 Cooling Tube	1	Ea.	9346277037181
60368		SCP80 Wrench For Electrode	1	Ea.	9346277048606
SCP8004	52558	SCP80 Electrode	5	Ea.	9346277037198
52558L		SCP80 Extended Electrode	5	Ea.	9346277048743
51311L.10		SCP80 Extended Shielded Tip 1.0mm 40-50A	10	Ea.	9346277048750
51311L.11		SCP80 Extended Shielded Tip 1.1mm 50-60A	10	Ea.	9346277048767
51311L.12		SCP80 Extended Shielded Tip 1.2mm 60-70A	10	Ea.	9346277048774
51311L.13		SCP80 Extended Shielded Tip 1.3mm 70-80A	10	Ea.	9346277048781
SCP8006	60027	SCP80 Swirl Ring	1	Ea.	9346277037204
51620.60		SCP80 O-Ring	1	Ea.	9346277048521
SCP8022-09	51310.09	SCP80 Cutting Tip 30-40A	10	Ea.	9346277037211
SCP8020-10	51311.10	SCP80 Cutting Tip 40-50A	10	Ea.	9346277037228
51311.11		SCP80 Cutting Tip 50-60A	10	Ea.	9346277048637
51311.12		SCP80 Cutting Tip 60-70A	10	Ea.	9346277048644
SCP8020-13	51311.13	SCP80 Cutting Tip 70-80A	10	Ea.	9346277037235
51311S.10		SCP80 Contact Tip 40-50A	10	Ea.	9346277048668
51311S.11		SCP80 Contact Tip 50-60A	10	Ea.	9346277048675
51311S.12		SCP80 Contact Tip 60-70A	10	Ea.	9346277048682
51311S.13		SCP80 Contact Tip 70-80A	10	Ea.	9346277048699
51311G.16		SCP80 Gouging Tip 80A	10	Ea.	9346277048705
SCP8030	60510	SCP80 Retaining Cap	1	Ea.	9346277037242
60511		SCP80 Shield Cup Body	1	Ea.	9346277048712
60506		SCP80 Shield Cap Machine	1	Ea.	9346277049849
60504		SCP80 Shield Cap Hand	1	Ea.	9346277048729
60504L		SCP80 Extended Shield Cap Hand	1	Ea.	9346277048798
60508		SCP80 Shield Cap Gouging	1	Ea.	9346277048736
SCP8040	60434	SCP80 Stand off Guide	1	Ea.	9346277037259
SCP8050	51853	SCP80 Circle Cutting Kit	1	Ea.	9346277037266
Suregrip® Surecut® SCP120 / PT100					
SCP120R-60-CC2	09721	SCP120 Plasma Torch 6m with Central connection	1	Ea.	9346277037273

Part No.	Reference	Description	MOQ	UOM	Barcode
SCP1201	09700	SCP120 70 Torch Head Kit	1	Ea.	9346277037280
09705		SCP120 Handle with Switch	1	Ea.	9346277048651
07301.20		SCP120 Switch	1	Ea.	9346277048514
SCP1220-10	51246.10	SCP120 Cutting Tip	10	Ea.	9346277037297
SCP1220-11	51246.11	SCP120 Cutting Tip	10	Ea.	9346277037303
SCP1220-12	51246.12	SCP120 Cutting Tip	10	Ea.	9346277037310
SCP1221-14	51248.14	SCP120 Cutting Tip	10	Ea.	9346277037327
SCP1221-15	51248.15	SCP120 Cutting Tip	10	Ea.	9346277037334
SCP1221-16	51248.16	SCP120 Cutting Tip	10	Ea.	9346277037341
SCP1222-09	51245.09	SCP120 Cutting Tip Contact	10	Ea.	9346277037358
SCP1226-10	51276.10	SCP120 Cutting Tip Contact	10	Ea.	9346277037365
SCP1226-11	51276.11	SCP120 Cutting Tip Contact	10	Ea.	9346277037372
SCP1226-12	51276.12	SCP120 Cutting Tip Contact	10	Ea.	9346277037389
SCP1227-14	51278.14	SCP120 Cutting Tip Contact	10	Ea.	9346277037396
SCP1227-15	51278.15	SCP120 Cutting Tip Contact	10	Ea.	9346277037402
SCP1227-16	51278.16	SCP120 Cutting Tip Contact	10	Ea.	9346277037419
SCP1228-22	51278G.22	SCP120 Gouging Tip	10	Ea.	9346277037426
60368		SCP120 Wrench for Electrode	1	Ea.	9346277048606
SCP1204	52556	SCP120 Electrode	5	Ea.	9346277037433
52556L		SCP120 Extended Electrode	5	Ea.	9346277048811
51276L.10		SCP120 Extended Shielded Tip 1.0mm 40-50A	10	Ea.	9346277048828
51276L.11		SCP120 Extended Shielded Tip 1.1mm 50-60A	10	Ea.	9346277048835
51276L.12		SCP120 Extended Shielded Tip 1.2mm 60-70A	10	Ea.	9346277048842
51278L.14		SCP120 Extended Shielded Tip 1.4mm 80-90A	10	Ea.	9346277048859
51278L.15		SCP120 Extended Shielded Tip 1.5mm 100A	10	Ea.	9346277048866
SCP1206	60026	SCP120 Swirl Ring	1	Ea.	9346277037440
SCP1207	60025	SCP120 Swirl Ring	1	Ea.	9346277037457
SCP1230	60500	SCP120 Retaining Cap	2	Ea.	9346277037464
SCP1231	60501	SCP120 Retaining Cap	2	Ea.	9346277037471
SCP1232	60502	SCP120 Shield Cap Body	2	Ea.	9346277037488
60506		SCP120 Shield Cap Machine	2	Ea.	9346277049849
SCP1240	60444	SCP120 Double Pointed Spacer	2	Ea.	9346277037495
60504		SCP120 Shield Cap Hand 40-70A	1	Ea.	9346277048729
60504L		SCP120 Extended Shielded Cap Hand 40-70A	1	Ea.	9346277048798
60505		SCP120 Shield Cap Hand 80-100A	1	Ea.	9346277048804
60505L		SCP120 Extended Shielded Cap Hand 80-100A	1	Ea.	9346277048873
SCP8043	60508	SCP120 Shield Cap Gouging	2	Ea.	9346277037501
SCP1202	09700.48	SCP120 Cooling Tube	2	Ea.	9346277037518
SCP1251	51864	SCP120 Roller Guide	1	Ea.	9346277037525
SCP1250	51864	SCP120 Circle Cutting Attachment Kit	1	Ea.	9346277037532

Compatible Binzel® PSB 31KK®

Part No.	Reference	Description	MOQ	UOM	Barcode
52018	742.0016 SB310	742.00016 Electrode 15.5mm	5	Ea.	9346277037549
52016	742.0017 SB311	742.0017 Electrode 16mm	5	Ea.	9346277037556
52017	742.0018 SB312	742.0018 Electrode 16.5mm	5	Ea.	9346277037563
60407	742.0082	742.0082 Insulating sleeve	2	Ea.	9346277037570
41005	742.0083 SB313	742.0083 Tip 1.0	10	Ea.	9346277037587
41006	742.0106 SB314	742.0106 Tip 1.2	10	Ea.	9346277037594
51906	742.0084	742.0084 Spring	5	Ea.	9346277037600
60408		Air diffusor, Insulator	2	Ea.	9346277037617
60409	742.0086	742.0086 Air Diffusor With safety Ring	2	Ea.	9346277037624
51902	742.0089	742.0089 Spacer Spring	2	Ea.	9346277037631

Compatible Binzel®PSB 60/80/121®

52008	743.0077 SB801	743.0077 Electrode-Zr	5	Ea.	9346277037648
52515	743.0067 SB801HF	743.0067 Electrode-Hf	5	Ea.	9346277037655
51107	743.0122 SB802-10	743.0122 Tip 1.0	10	Ea.	9346277037662
51108	743.0143 SB802-13	743.0143 Tip 0 1.3	10	Ea.	9346277037679
51109	743.0132 SB802-15	743.0132 Tip 0 1.5	10	Ea.	9346277037686
51110	743.0209 SB802-18	743.0209 Tip 0 1.8	10	Ea.	9346277037693
51135	743.0355 SB802-20	743.0355 Tip 0 2.0	10	Ea.	9346277037709
51901	743.0149 SB811	743.0149 Spacer Spring	5	Ea.	9346277037716
60410	743.0125 SB806	743.0125 Distance sleeve	2	Ea.	9346277037723
60411	743.0126	743.0126 Distance Nozzle Support	2	Ea.	9346277037730
60361	743.0127 SB804	743.0127 Crown spacer Nozzle	2	Ea.	9346277037747
60360	743.0168 SB805	743.0168 Double pointed Nozzle	2	Ea.	9346277037754
60362	743.0267	743.0267 Double pointed Nozzle cw Screws	2	Ea.	9346277037761

Compatible Binzel® Abiplas Cut 70®

52660	742.D056 SB701	742.D056 Electrode	5	Ea.	9346277037778
60200	742.D073 SB702	742.D073 Swirl Ring	2	Ea.	9346277037785
51545.09	742.D008 SB709	742.D008 Conical Tip 0.9	10	Ea.	9346277037792
51545.11	742.D018 SB711	742.D018 Conical Tip 1.3	10	Ea.	9346277037808
51545.12	742.D041 SB712	742.D041 Conical Tip 1.2	10	Ea.	9346277037815
60470	742.D023 SB703	742.D023 Shield Cap	2	Ea.	9346277037822

Compatible Binzel®Abiplas Cut 110®

52665	745.D008 SB1101	745.D008 Electrode	5	Ea.	9346277037839
60201	745.D113 SB1102	745.D113 Swirl Ring	2	Ea.	9346277037846
51540.1	745.D018 SB1110	745.D113 Tip 1.0	10	Ea.	9346277037853
51540.12	745.D010 SB1112	745.D010 Tip 1.2	10	Ea.	9346277037860
51540.14	745.D017 SB1114	745.D017 Tip 1.4	10	Ea.	9346277037877
51540.16	745.D065 SB1116	745.D065 Tip 1.6	10	Ea.	9346277037884
60473	745.D026 SB1107	745.D026 Shield Cap	2	Ea.	9346277037891
51910	745.D012 SB1108	745.D012 Spacer Spring	2	Ea.	9346277037907

Compatible Binzel®Abiplas Cut 150®

Part No.	Reference	Description	MOQ	UOM	Barcode
52670	757.D008 SB1501	757.D008 Electrode	5	Ea.	9346277037914
60202	757.D060 SB1502	757.D060 Swirl Ring	2	Ea.	9346277037921
51550.12	757.D037 SB1512	757.D037 Tip 1.2	10	Ea.	9346277037938
51550.15	757.D009 SB1515	757.D009 Tip 1.5	10	Ea.	9346277037945
51550.16	757.D010 SB1516	757.D010 Tip 1.6	10	Ea.	9346277037952
51550.18	757.D011 SB1518	757.D011 Tip 1.8	10	Ea.	9346277037969
60475	757.D042 SB1507	757.D042 Shield Cap	2	Ea.	9346277037976
51910	757.D012 SB1508	757.D012 Spacer Spring	5	Ea.	9346277037907
Compatible Cebora® CP40®					
01040	1359	C1359 Hand Torch Head	1	Ea.	9346277037990
52545	1516	C1516 Electrode	5	Ea.	9346277038003
60007	1507	C1507 Swirl Ring	2	Ea.	9346277038010
51086	1290	C1290 Tip 0 0.7	10	Ea.	9346277038027
60323	1906	C1906 Retaining Cap	2	Ea.	9346277038034
Compatible Cebora® P50®					
SCB50-60-CC1	03051LT	C50 Plasma Torch 6m with Central connection	1	Ea.	9346277038041
SCB1352	01001	C50 Torch Head (Surecut Style)	1	Ea.	9346277019040
01000	1352	C1352 Hand Torch Head (Old Style)	1	Ea.	9346277038058
03280/C	1356	C1356 Handgrip With MicroSwitch	1	Ea.	9346277038065
52512/L	1521	C1521 Electrode	5	Ea.	9346277038072
60002	1510	C1510 Swirl Ring	2	Ea.	9346277038089
51100	1304	C1304 Tip 1.0	10	Ea.	9346277038096
51095	1396	C1396 Tip Long Life 1.0	10	Ea.	9346277038102
51100/S	1396-11 W0300192	Tip Long Life 1.3	10	Ea.	9346277038119
51099	1304F-10 W0300149	Flat Tip 1.0	10	Ea.	9346277038126
51098	1305 W0300151	C1305 Conical Tip 1.0	10	Ea.	9346277038133
52513/L	1518	C1518 Extended Electrode	5	Ea.	9346277038140
51102	1370	C1370 Extended Tip 1.0	10	Ea.	9346277038157
51095/L	1395 W0300111	C1395 Extended Tip Long Life 1.0	10	Ea.	9346277038164
51102/S	1395-11 W0300237	Extended Tip Long Life 1.1	10	Ea.	9346277038171
51101	1306	C1306 Extended Conical Tip 1.0	10	Ea.	9346277038188
60320	5.710.121	C5.710.121 Retaining Cap	2	Ea.	9346277038195
51965	1394S-50 W0300238	Shield Cap, hand, Extended Tips	2	Ea.	9346277038201
Compatible Cebora® P70® / Lincoln T70					
SCB70-40-CC1	03071LTS	C70 Plasma Torch 6m with Central connection	1	Ea.	9346277038218
SCB1351	01071	C70 Torch Head (Surecut Style)	1	Ea.	9346277019057
01070	1351	C1351 Hand Torch Head (Old Style)	1	Ea.	9346277038225
03280/C	1356	C1356 Handgrip With MicroSwitch	1	Ea.	9346277038065
01070.42	3.065.204 W0300104	C3.065.204 Diffusor	2	Ea.	9346277038249
52551	1402 W0300105	C1402 Electrode	5	Ea.	9346277038256
60001	1510 W0300106	Swirl Ring	2	Ea.	9346277038263

Part No.	Reference	Description	MOQ	UOM	Barcode
51100.09	1309 W0300155	C1309 Tip 0 0.9-35A	10	Ea.	9346277038270
51095	1396 W0300107	C1396 Tip Long Life 1.0-50A	10	Ea.	9346277038102
51100/S	W0300192	Tip Long Life 1.3-60A	10	Ea.	9346277038119
51096	1396-12 W0300108	Tip Long Life 1.2 70A	10	Ea.	9346277038300
51100.12	1308 W0300193	C1308 Tip 1.2 70A	10	Ea.	9346277038317
51099	W0300149	Flat Tip 1.0	10	Ea.	9346277038126
51099.12	1304F-12 W0300150	Flat Tip 1.2	10	Ea.	9346277038331
51098	1305 W0300151	C1305 Conical Tip 1.0 Low Amp.	10	Ea.	9346277038133
51098.12	1305-12 W0300152	Conical Tip 1.2	10	Ea.	9346277038355
52553	1368 W0300110	C1368 Extended Electrode	5	Ea.	9346277038362
51102.09	1366 W0300236	C1366 Extended Tip 0 0.9 35A	10	Ea.	9346277038379
51095/L	1395 W0300111	C1395 Extended Tip Long Life 1.0 50A	10	Ea.	9346277038164
51102/S	W0300237	Extended Tip Long Life 1.3 60A	10	Ea.	9346277038171
51096/L	1395-12 W0300112	Extended Tip Long Life 1.2 70A	10	Ea.	9346277038409
60321	5.710.171 W0300109	C5.710.171 Retaining Cap	2	Ea.	9346277038416
51901	1394 W0300113	C1394 Spacer Spring	5	Ea.	9346277037716
60363	1405 W0300114	C1405 Double pointed spacer	2	Ea.	9346277038430
51970	1394S	Shield Cup hand (Extended Tips)	2	Ea.	9346277038447
51971	1394C W0300239	Spacer, Contact Cutting (Extended Tips)	2	Ea.	9346277038454
51097.1		Extended Tip, 50A, shielded	10	Ea.	9346277038461
51097.11		Extended Tip, 60A, shielded	10	Ea.	9346277038478
51097.12		Extended Tip, 70A, shielded	10	Ea.	9346277038485
Compatible Cebora® CP90/91®					
SCB90-60-CC1	03091LTS	C90 Plasma Torch 6m with Central connection	1	Ea.	9346277038492
SCB1358	01091	C90 Torch Head (Surecut Style)	1	Ea.	9346277019064
01090	1358	C1358 Hand Torch Head (Old Style)	1	Ea.	9346277038508
01090.42	3.065204-90	Diffusor	1	Ea.	9346277038515
52553	1368 W0300110	C1368 Electrode	5	Ea.	9346277038362
60001	W0300106	Swirl Ring	2	Ea.	9346277038263
51090	1847	Tip Long Life Ø 1.0 20-50A	10	Ea.	9346277038546
51092	1848	Tip Long Life Ø 1.2 50-70A	10	Ea.	9346277038553
51093	1849	Tip Long Life Ø 1.3 70-90A	10	Ea.	9346277038560
60322	5.710.171-90	Retaining Cap	2	Ea.	9346277038577
51972	5.710.171-90S	Shield Cap hand	2	Ea.	9346277038584
51973	1404	Spacer for Contact Cutting, hand	2	Ea.	9346277038591
51097.1		Extended Tip 50A, shielded	10	Ea.	9346277038461
51097.11		Extended Tip 60A, shielded	10	Ea.	9346277038478
51097.12		Extended Tip 70A, shielded	10	Ea.	9346277038485
51097.13		Extended Tip 90-100A, shielded	10	Ea.	9346277038638
60322C		Shield Cap Body CCW	2	Ea.	9346277038645
60503L		Extended shield Cap 50-70A	2	Ea.	9346277038652

Part No.	Reference	Description	MOQ	UOM	Barcode
60504L		Extended shield Cap 80-100A	2	Ea.	9346277038669
Compatible Cebora® P150®/CP160® / Lincoln T100					
SCB150R-60-CC2	04053/CS	C1226 Hand Torch 6m with Central connection	1	Ea.	9346277038676
SCB1353	02001	C150 Torch Head (Surecut Style)	1	Ea.	9346277019071
02000	1353	C1353 Hand Torch Head (Old Style)	1	Ea.	9346277038683
01200	W0300263	Hand Torch Head	1	Ea.	9346277038690
60080		Front Insulator	2	Ea.	9346277038706
04300	1354	C1354 Machine Torch Head	1	Ea.	9346277038713
60085		Front Insulator	2	Ea.	9346277038720
01400	W0300143	Machine Torch Head	1	Ea.	9346277038737
05004	1378	C1378 Diffusor	2	Ea.	9346277038744
06004	W0300122	Diffusor	2	Ea.	9346277038751
52540	1376 W0300123	C1376 Electrode	5	Ea.	9346277038768
60020	1377 W0300124	C1377 Swirl Ring	2	Ea.	9346277038775
51140/S	1371	C1371 Tip Long Life 1.3	10	Ea.	9346277038782
51141/S	1372 W0300174	C1372 Tip Long Life 0 1.35	10	Ea.	9346277038799
51142/S	1373 W0300175	C1373 Tip Long Life 0 1.6	10	Ea.	9346277038805
51143/S	1374	C1374 Tip Long Life 0 1.8	10	Ea.	9346277038812
51144	1375	C1375 Gouging Tip 0 3.0	10	Ea.	9346277038829
51144.24	W0300128	Gouging Tip 0 2.4	10	Ea.	9346277038836
51410	1371C-13 W0300135	Contact Tip 0 1.35	10	Ea.	9346277038843
51411	1371C-16 W0300137	Contact Tip 0 1.6	10	Ea.	9346277038850
51412	1371C-18	Contact Tip 0 1.8	10	Ea.	9346277038867
05005	1378E	Extended diffusor	2	Ea.	9346277038874
06005		Extended diffusor	5	Ea.	9346277038881
52549	1517 W0300133	C1517 Extended Electrode	5	Ea.	9346277038898
51148	1369 W0300134	C1369 Extended Tip (max 50A)	10	Ea.	9346277038904
51148.13	1369-13 W0300178	Extended Tip 0 1.35-90A	10	Ea.	9346277038911
51148.16	1369.16 W0300179	Extended Tip 0 1.6-120A	10	Ea.	9346277038928
51148.18	1369-18	Extended Tip 0 1.8-150A	10	Ea.	9346277038935
60328	W0300129	Retaining Cap	2	Ea.	9346277038942
60330	1389	C1389 Retaining Cap	2	Ea.	9346277038959
60348	W0300138	Contact Retaining Cap	2	Ea.	9346277038966
60350	1389-C	Contact Retaining Cap	2	Ea.	9346277038973
60350/V	1389-L	Contact Retaining Cap, Max Life	2	Ea.	9346277038980
51952	1389CN W0300244	Spring holder protection Nut	2	Ea.	9346277038997
51911	1394-150 W0300245	Spacer Spring	2	Ea.	9346277039000
51953	1408G	Gouging spacer	2	Ea.	9346277039017
51950	1408C1 W0300180	Spacer for Contact Cutting, hand	2	Ea.	9346277039024
51930	1408C	Spacer for Contact Cutting, hand	2	Ea.	9346277039031
51920		Spacer for Contact Cutting, hand	2	Ea.	9346277039048

Part No.	Reference	Description	MOQ	UOM	Barcode
51951	W0300181	Shield Cup Machine	2	Ea.	9346277039055
51957	0008 W0300182	Shield Cup hand (max 50A)	2	Ea.	9346277039062
51958	0009 W0300183	Spacer for Contact Cutting, hand	2	Ea.	9346277039079
51974	1408CE	Spacer for Extended Tips, High Amp.	2	Ea.	9346277039086
51959	1408LN W0300184	Locking Nut	2	Ea.	9346277039093
51910	1386 W0300130	C1386 Spacer Spring	2	Ea.	9346277037907
60370	1408 W0300131	C1408 Double pointed spacer	2	Ea.	9346277039116
60371	0014 W0300177	Crown spacer	2	Ea.	9346277039123
60373	1406 W0300132	C1406 Gouging spacer	2	Ea.	9346277039130
60369	1509	C1509 Extractor for swirl Ring	1	Ea.	9346277039147
Compatible Esab® L-TEC® PT-20®					
52884	21150	21150 Electrode	5	Ea.	9346277039154
51345	21330	21330 Tip Ø 1.0-.039 50A	10	Ea.	9346277039161
51346	21329	21329 Tip Ø 1.3-.051 70A	10	Ea.	9346277039178
51347	21328	21328 Tip Ø 1.5-.059 100A	10	Ea.	9346277039185
Compatible Esab® L-TEC®PT-23/27®					
52882	33366	33366 Electrode	5	Ea.	9346277039192
80005	33367	33367 Swirl Baffle	2	Ea.	9346277039208
51340/TD	33368	33368 Tip Ø 0.93-.037 30A	10	Ea.	9346277039215
51341/TD	33369	33369 Tip Ø 1.16-.046 50A	10	Ea.	9346277039222
51342/TD	33418	33418 Tip Ø 1.32-.052 80A	10	Ea.	9346277039239
60460	21616	21616 Shield Cap (PT 27)	2	Ea.	9346277039246
60461	21420	21420 Double pointed spacer	2	Ea.	9346277039253
Compatible Esab® L-TEC®PT-31® PT-31XL®					
52057	18205	18205 Electrode	5	Ea.	9346277039260
80002	18785	18785 Swirl Baffle 4 holes	2	Ea.	9346277039277
51165	18866	18866 Tip 4 stakes Ø 1.0-.039 30A	10	Ea.	9346277039284
52881	20862	20862 Electrode	5	Ea.	9346277039291
80003	20463	20463 Swirl Baffle 6 holes	2	Ea.	9346277039307
51335/TD	20860	20860 Tip Ø 0.96-.038 30A	10	Ea.	9346277039314
51336/TD	21008	21008 Tip Ø 1.07-.042 40A	10	Ea.	9346277039321
51337/TD	20861	20861 Tip Ø 1.17-.046 50A	10	Ea.	9346277039338
80001	18204	18204 Shield Cap	10	Ea.	9346277039345
Compatible Hyperthem® T60/T60M® T80/T80M® T100/T100M®					
HYP60-60-CC1		HYP60 Plasma Torch 6m with Central connection	1	Ea.	9346277039352
HYP80R-60-CC2		HYP80R Plasma Torch 6m with Central connection	1	Ea.	9346277039369
HYP100R-60-CC2		HYP100R Plasma Torch 6m with Central connection	1	Ea.	9346277039376
HYP1201	03800	HYP Torch Head (SureCut Type)	1	Ea.	9346277039383
03800		ST-120 Hand Torch Head	1	Ea.	9346277039390
60043E	120925	120925 Swirl Ring 40/80A	2	Ea.	9346277039406
52675	120926	120926 Electrode 40-80A	5	Ea.	9346277039413

Part No.	Reference	Description	MOQ	UOM	Barcode
51405.1	120932	120932 Tip 40A shielded	10	Ea.	9346277039420
51405.12	120931	120931 Tip 60A shielded	10	Ea.	9346277039437
51405.14	120927	120927 Tip 80A shielded	10	Ea.	9346277039444
51409.24		Contact Tip Gouging 100-120A	2	Ea.	9346277049016
60304	120928	120928 Retaining Cap 40/80A	2	Ea.	9346277039451
60304H	220061	220061 Retaining Cap 40-80A OHMIC	2	Ea.	9346277039468
51981/TD	120929	120929 Hand shield 40/80A	2	Ea.	9346277039475
51982/TD	120930	120930 Machine shield 40/80A	2	Ea.	9346277039482
51988		Hand Shield Cap 100-120A	2	Ea.	9346277048996
51989G		Shield Cap Gouging 100-120A	2	Ea.	9346277049009
60044E	220051	220051 Swirl Ring 100A	2	Ea.	9346277039499
52676	220037	220037 Electrode 100A	5	Ea.	9346277039505
51406	220011	220011 Tip 100A shielded	10	Ea.	9346277039512
51406T		Contact Tip 120A	10	Ea.	9346277048989
60307	220048	220048 Retaining Cap 100A	2	Ea.	9346277039529
60307H	220206	220206 Retaining Cap 100A OHMIC	2	Ea.	9346277039536
51983/TD	220065	220065 Hand shield 100A	2	Ea.	9346277039543
51984/TD	220047	220047 Machine shield 100A	2	Ea.	9346277039550
51989		Machine Shield Cap 100-120A	2	Ea.	9346277049030
52675L		Extended Electrode 40-80A	5	Ea.	9346277039567
51405L.10		Extended Tip 40A shielded	10	Ea.	9346277039574
51405L.12		Extended Tip 60A shielded	10	Ea.	9346277039581
51405L.14		Extended Tip 80A shielded	10	Ea.	9346277039598
60505L		Extended Shield 40/80A	2	Ea.	9346277039604
52676L		Extended Electrode 100A	5	Ea.	9346277039611
51406L.15		Extended Tip 100A shielded	10	Ea.	9346277039628
51406L.18		Extended Tip 120A Shielded	10	Ea.	9346277049023
51983L		Extended Shield 100A	2	Ea.	9346277039635
51407	220329	220329 Tip 30/50A Precision Cut	10	Ea.	9346277039642
51402	220006	220006 Tip 40A unshielded	10	Ea.	9346277039659
51403	220007	220007 Tip 60A unshielded	10	Ea.	9346277039666
51404	120980	120980 Tip 80A unshielded	10	Ea.	9346277039673
51408	220064	220064 Tip 100A unshielded	10	Ea.	9346277039680
51408T		Cutting Tip 120A	10	Ea.	9346277048941
51939	120979	120979 Deflector	2	Ea.	9346277039697
60493		Retaining Cap 40-80A	2	Ea.	9346277048958
60494		Retaining Cap 80-120A	2	Ea.	9346277048965
60495	6030	Retaining Cap, 40-80A	2	Ea.	9346277039703
60496	1230	Retaining Cap, 100A	2	Ea.	9346277039710
60434		Double Pointed Spacer	2	Ea.	9346277048972

Part No.	Reference	Description	MOQ	UOM	Barcode
Compatible Hyperthem® Powermax 45 H45					
52574	220669	220669 Electrode	5	Ea.	9346277039727
52571		020382 Extended Electrode	5	Ea.	9346277047906
52574L		Extended Electrode	5	Ea.	9346277048903
60041	220670	220670 Swirl Ring Max Life	2	Ea.	9346277039734
60041E	220670	220670 Swirl Ring	10	Ea.	9346277049825
51206	220671	220671 Tip 45A	10	Ea.	9346277039741
51206.11		Contact Tip 70A	10	Ea.	9346277048880
51206L		Extended Shielded Contact Tip 20-50A	10	Ea.	9346277048910
51206L.11		Extended Shielded Contact Tip 70A	10	Ea.	9346277048927
60305	220713	220713 Retaining Cap	2	Ea.	9346277039758
60305T		Shield Cup Body	2	Ea.	9346277048897
51923	220674	220674 Hand shield	2	Ea.	9346277039765
51923L		Extended Shield Cap Hand	2	Ea.	9346277048934
51924	220673	220673 Machine shield	2	Ea.	9346277039772
Compatible Hyperthem® 65/H65/M65/85/H85/M85/105/H105/M105					
60042	220857	220857 Swirl Ring 45/85A	2	Ea.	9346277039789
60042E		Swirl Ring 45-85A	10	Ea.	9346277049047
51415	220930	220930 Tip 45A Precision Cut	10	Ea.	9346277039796
51416	220941	220941 Tip 45A	10	Ea.	9346277039802
51417	220819	220819 Tip 65A	10	Ea.	9346277039819
51418	220816	220816 Tip 85A	10	Ea.	9346277039826
52677		Electrode 45-125A	2	Ea.	9346277049061
60309A	220854/85	220854/85 Retaining Cap 45-85A	2	Ea.	9346277039833
60309TA		Shield Cup Body 45-85A	2	Ea.	9346277049085
60309TC		Shield Cup Body 100-125A	2	Ea.	9346277049092
51928	220955	220955 Deflector	2	Ea.	9346277039840
51921	220818	220818 Hand shield 45/85A	2	Ea.	9346277039857
51922	220817	220817 Machine shield 45/85A	2	Ea.	9346277039864
60040E		Swirl Ring 100-125A	10	Ea.	9346277049054
51419	220990	220990 Tip 100A	10	Ea.	9346277039888
51419.16		Tip 125A	10	Ea.	9346277049078
60309B	220854/105	220854/105 Retaining Cap 100A	2	Ea.	9346277039895
51926	220992	220992 Hand shield 100A	2	Ea.	9346277039901
51927	220993	220993 Machine shield 100A	2	Ea.	9346277039918
Compatible Hyperthem® 800/900					
60046	020361	020361 Swirl Ring	10	Ea.	9346277039970
60047	120576	120576 Swirl Ring	10	Ea.	9346277040020
52575	120573	120573 Electrode	5	Ea.	9346277049115
51204	120438	120438 Tip 40A	10	Ea.	9346277049122
51201	120282	120282 Tip 50A	10	Ea.	9346277049139

Part No.	Reference	Description	MOQ	UOM	Barcode
51207	120577	120577 Tip 55A Shielded	10	Ea.	9346277049146
51211	020395	020395 Tip 50A	10	Ea.	9346277049153
52576	120574	120574 Extended Electrode	5	Ea.	9346277049160
51202	120304	120304 Extended Tip	10	Ea.	9346277049177
51203	120305	120305 Tip Pipe Saddle	2	Ea.	9346277049184
51208	120606	120606 Extended Tip 35A	10	Ea.	9346277049191
51209	120578	120578 Extended Tip 55A Pipe Saddle	2	Ea.	9346277049207
60316	120600	120600 Retaining Cap	2	Ea.	9346277049214
51985/TD	120283	120283 Hand Shield	2	Ea.	9346277049221
51986/TD	120326	120326 Machine Shield	2	Ea.	9346277049238
51987/TD	120303	120303 Deflector	2	Ea.	9346277049245
60303	020930	020930 Retaining Cap	2	Ea.	9346277049252
Compatible Miller® ICE-25C/27C® Spectrum® 375					
51431	176656	176656 Tip Ø 0.75-.030	10	Ea.	9346277039925
52631	176655	176655 Electrode	5	Ea.	9346277039932
60036	176657	176657 Swirl Ring Ice-25	2	Ea.	9346277039949
60038	202809	202809 Swirl Ring Ice-27	2	Ea.	9346277039956
60300	176658	176658/202808 Retaining Cap	2	Ea.	9346277039963
Compatible Miller® ICE-50C® Spectrum® 701					
60046	177886	177886 Swirl Ring	2	Ea.	9346277039970
52634	177875	177875 Electrode	5	Ea.	9346277039987
51433	177890	177890 Tip	10	Ea.	9346277039994
52635	180340	180340 Extended Electrode	5	Ea.	9346277040006
51435	177876	177876 Extended Tip	10	Ea.	9346277040013
Compatible Miller® ICE-55C® / ICE-55CM® Spectrum® 625 Spectrum® 2050					
60047	192049	192049 Swirl Ring	2	Ea.	9346277040020
52634	192047	192047 Electrode	5	Ea.	9346277039987
51434	192051	192051 Tip	10	Ea.	9346277040044
52635	192048	192048 Extended Electrode	10	Ea.	9346277040006
51436	192056	192056 Extended Tip 55A	10	Ea.	9346277040068
51437	192052	192052 Extended Tip 35A	10	Ea.	9346277040075
Compatible OTC D-12000					
52750/OR	H839M00	H839M00 Electrode with O-Ring	10	Ea.	9346277049481
51269	H839K03	H839K03 Tip 0 0.8 30A	10	Ea.	9346277049498
51270	H839K02	H839K02 Tip 0 1.0 50A	10	Ea.	9346277049504
51271	H839K01	H839K01 Tip 0 1.3 80A	10	Ea.	9346277049511
51272	H839G03	H839G03 Tip 0 1.6 120A	10	Ea.	9346277049528
80054		Shield Cap Ceramic	2	Ea.	9346277049535
Compatible SAF® CP40/CP100R®					
52014	0408-2051	04082051 Electrode-Zr	5	Ea.	9346277040082
52514	0408-2404	04082404 Electrode-Hf	5	Ea.	9346277040099

Part No.	Reference	Description	MOQ	UOM	Barcode
51104	0408-2261	04082261 Tip 1.0	10	Ea.	9346277040105
51105	0408-2262	04082262 Tip 1.2	10	Ea.	9346277040112
51118	0408-2385	04082385 Tip 0 1.6	10	Ea.	9346277040129
60426	0408-2267	04082267 TN Protection Nozzle guide	2	Ea.	9346277040136
60427	0408-2405	04082405 TI Ceramic Assy. With bosses	2	Ea.	9346277040143
60428	0408-2268	04082268 TI Ceramic guide	2	Ea.	9346277040150
51901	0408-2053	04082053 Spacer Spring	2	Ea.	9346277037716
Compatible Panasonic					
52790	TET02033	TET02033 Electrode	5	Ea.	9346277049542
51280.10	TET01110	TET01110 Tip 0 1.0 40A	10	Ea.	9346277049559
51280.13	TET01130	TET01130 Tip 0 1.3 60A	10	Ea.	9346277049566
51280.15	TET01512	TET01512 Tip 0 1.5 80A	10	Ea.	9346277049573
80045	TGN02004	TGN02004 Shield Cap	2	Ea.	9346277049580
Compatible Thermal Dynamics®PCH-25/26/28/35/38/40®					
07035	9-5807	9-5807 70° Torch Head	1	Ea.	9346277040174
52519/D	9-6006	9-6006 Electrode	5	Ea.	9346277040181
52519	9-6006	9-6006 Electrode OEM Style	5	Ea.	9346277049269
60050	9-6007	9-6007 Gas distributor	1	Ea.	9346277040198
51290	9-6000	9-6000 Tip 35A Air	10	Ea.	9346277040204
51291	9-6001	9-6001 Tip Drag Cut Air	10	Ea.	9346277040211
51286	9-4476	9-4476 Tip Air	10	Ea.	9346277040228
52523/D	9-6506	9-6506 Electrode Long Life	5	Ea.	9346277040235
52523	9-6506	9-6506 Electrode Long Life OEM Style	5	Ea.	9346277049276
60051	9-6507	9-6507 Gas distributor Long Life	2	Ea.	9346277040242
51288	9-6500	9-6500 Tip-Standoff Long-life	10	Ea.	9346277040259
51289	9-6501	9-6501 Tip-Drag Long Life	10	Ea.	9346277040266
60347	9-6003	9-6003 Shield Cap	1	Ea.	9346277040273
Compatible Thermal Dynamics®PCH/M-51® 4Xi, 6Xi, 3XR, 5XR, 5XT, 6XR, 7XR					
07120	2-2860	2-2860 Hand Torch 25' - 7.5m	1	Ea.	9346277049436
0100	9-5635	9-5635 70° Torch Head	1	Ea.	9346277040280
07100	9-5635	9-5635 70 Torch Head	1	Ea.	9346277049443
52517	9-5633	9-5633 Electrode	5	Ea.	9346277040297
51117	9-5718	9-5718 Tip 0.96-.038 10/40A	10	Ea.	9346277040303
51115	9-5631	9-5631 Tip 1.10-.043 10/60A	10	Ea.	9346277040310
80010	9-5630	9-5630 Shield Cup-Ceramic	1	Ea.	9346277040327
60416	8-2159	8-2159 Shield Cup-Phenolic std.	1	Ea.	9346277040334
80011	8-5526	8-5526 Shield Cup crown -Ceramic	1	Ea.	9346277040341
60341	9-5779	9-5779 Shield Cup Crown	1	Ea.	9346277049450
Compatible Thermal Dynamics®PCH/M-52®Pak-5XR, 6XR, 7XR, 8XR, 10XR					
07220	2-2936	2-2936 Hand Torch 25' 7.5m	1	Ea.	9346277049467
07200	9-5642	9-5642 70° Torch Head	1	Ea.	9346277040358

Part No.	Reference	Description	MOQ	UOM	Barcode
52565/N	9-5619	9-5619 Electrode Air plated	5	Ea.	9346277040365
51180	9-5702	9-5702 Tip 0 0.90-0.35 35A	10	Ea.	9346277049474
51181	9-5618	9-5618 Tip Ø 1.10-.043 45/55A	10	Ea.	9346277040372
51185	9-5707	9-5707 Tip Ø 1.20-.047 60/70A	10	Ea.	9346277040389
51186	9-5708	9-5708 Tip Ø 1.50-.059 105A	10	Ea.	9346277040396
51297		8-7504 Tip 0 1.17-.046 55A	10	Ea.	9346277047951
80017	9-5694	9-5694 Shield Cup Crown Ceramic	2	Ea.	9346277040402
60418	9-5781	9-5781 Shield Cup Phenolic std.	2	Ea.	9346277040419
80015	9-5617	9-5617 Shield Cup Ceramic std.	2	Ea.	9346277040426
Compatible Thermal Dynamics PCH/M-60/75/76/80					
52526/D	8-7502	8-7502 Electrode	5	Ea.	9346277049283
60055	8-7501	8-7501 Gas Distributor	5	Ea.	9346277049290
51296	8-7503	8-7503 Tip 0 0.99-.039 35A	10	Ea.	9346277049306
51297	8-7504	8-7504 Tip 0 1.17-.046 55A	10	Ea.	9346277047951
51297.13	9-7726	9-7726 Tip 0 1.24-.049 60A	10	Ea.	9346277049313
51298	8-7505	8-7505 Tip 0 1.32-.052 70A	10	Ea.	9346277049320
51298.14	9-7728	9-7728 Tip 0 1.39-.055 80A	10	Ea.	9346277049337
60056	8-7508	8-7508 Gas Distributor Gouging	5	Ea.	9346277049344
51299	8-7506	8-7506 Tip Gouging 0 1.86-.073	10	Ea.	9346277049351
60442	9-7501E	9-7501E Coil Spring	10	Ea.	9346277049368
60440	8-7500	8-7500 Shield Cap	2	Ea.	9346277049375
60444	8-7575	8-7575 Double pointed Spacer	2	Ea.	9346277041676
60446	8-7496	8-7496 Shield Cap Max Life	2	Ea.	9346277049382
60441	8-7498	8-7498 Shield Cap Body	2	Ea.	9346277049399
60447	8-7497	8-7497 Heat Shield (copper)	2	Ea.	9346277049405
60445	8-7507	8-7507 Crown Shield Cap Assembly	2	Ea.	9346277049412
60443	8-7499	8-7499 Crown Shield Cap Copper	2	Ea.	9346277049429
Compatible Trafimet® S25/S25K/S30/S35K/S45					
STR S45-60-CC1	09635	TRF45 Plasma Torch 6m with Central connection	1	Ea.	9346277040433
STR2501	09601	TRF25 70 Torch Head (Surecut Style)	1	Ea.	9346277020763
STR4001	09602	TRF45 70 Torch Head (Surecut Style)	1	Ea.	9346277020770
52536	PR0105	PR105 Electrode	5	Ea.	9346277040440
52537	PR107	PR107 A60 Electrode	5	Ea.	9346277049610
60028	PE0106	PE106 Swirl Ring	2	Ea.	9346277040457
60029	PE107	PE107 A60 Swirl Ring	10	Ea.	9346277049627
51315.09	PD0102-09	PD102-09 Tip 0 0.9	10	Ea.	9346277040464
51315	PD0102-10	PD102-10 Tip 1.0	10	Ea.	9346277040471
52531	PR0110	PR110 Electrode	5	Ea.	9346277040488
51170	PD105.10	PD105.10 A60 Tip 1.0	10	Ea.	9346277049634
51172	PD105.11	PD105.11 A60 Tip 1.1	10	Ea.	9346277049641
51316.06	PD0116-06	PD116-06 Tip 0 0.65	10	Ea.	9346277040495

Part No.	Reference	Description	MOQ	UOM	Barcode
51316	PD0116-08	PD116-08 Tip 0 0.8	10	Ea.	9346277040501
51316.09	PD0116-09	PD116-09 Tip 0 0.9	10	Ea.	9346277040518
52532	PR0106	PR116 Extended Electrode	5	Ea.	9346277040525
51317.06	PD0103-65	PD103-65 Extended Tip 0 0.65	10	Ea.	9346277040532
51317.09	PD0103-09	PD103-09 Extended Tip 0 0.9	10	Ea.	9346277040549
51317	PD0103-10	PD103-10 Extended Tip 1.0	10	Ea.	9346277040556
60389	PC116	PC116 Retaining Cap	2	Ea.	9346277040563
60389K1	PC122	PC122 Retaining Cap (1 hole)	2	Ea.	9346277040570
60389K4		Retaining Cap (4 Holes)	2	Ea.	9346277047937
60389K	PC117	PC117 Retaining Cap (2 holes)	2	Ea.	9346277040587
60384	PC115	PC115 A53/54 Retaining Cap	2	Ea.	9346277049597
60378	CV33	CV33 A53/54 Crown Spacer	2	Ea.	9346277049603
60431		Double Pointed Spacer	2	Ea.	9346277040594
Compatible Trafimet A80/P80					
06801.42	FH0560	FH0560 Diffuser	5	Ea.	9346277049658
52580/S	PR109	PR109 Electrode	5	Ea.	9346277049665
60029	PE107	PE107 Swirl Ring	10	Ea.	9346277049627
51170	PD105-10	PD105-10 Tip 0 1.0	10	Ea.	9346277049634
51172	PD105-11	PD105-11 Tip 0 1.1	10	Ea.	9346277049641
51172.12	PD105-12	PD105-12 Tip 0 1.2	10	Ea.	9346277049672
60384	PC115	PC115 Retaining Cap	2	Ea.	9346277049597
51976	CV201	CV201 Spacer for Contact Cutting	2	Ea.	9346277049689
60378	CV33	CV33 Crown Spacer	2	Ea.	9346277049603
Compatible Trafimet®A90/P90/A101®					
06004		Diffusor	5	Ea.	9346277038751
52535	PR101	PR101 Electrode	5	Ea.	9346277040617
60030	PE101	PE101 Swirl Ring	2	Ea.	9346277040624
51154	PD101-11	PD101-11 Tip 1.3	10	Ea.	9346277040631
51155	PD101-14	PD101-14 Tip 0 1.4	10	Ea.	9346277040648
51156	PD101-17	PD101-17 Tip 0 1.7	10	Ea.	9346277040655
06005		Extended diffusor	5	Ea.	9346277038881
52530	PR116	PR116 Extended Electrode	5	Ea.	9346277040679
60031	PE103	PE103 Insulating spacer	2	Ea.	9346277040686
51149	PD111	PD111 Extended Tip 1.3 (max. 50A)	10	Ea.	9346277040693
51149.14	PD117-14	PD117-14 Extended Tip 0 1.4	10	Ea.	9346277040709
51149.17	PD117-17	PD117-17 extended Tip 0 1.7	10	Ea.	9346277040716
60376	PC109/111	PC109 Retaining Cap, Long Life	2	Ea.	9346277040723
60386	PC113/130	PC113 Contact Retaining Cap	2	Ea.	9346277040730
51940	CV23	CV23 Spacer for Contact Cutting	2	Ea.	9346277040747
51945	CV39	CV39 Large spacer for Contact Cutting	2	Ea.	9346277040754
51952		Spring holder protection Nut	2	Ea.	9346277038997

Part No.	Reference	Description	MOQ	UOM	Barcode
51911		Spacer Spring	2	Ea.	9346277039000
51950		Spacer for Contact Cutting, hand	2	Ea.	9346277039024
51951		Shield Cup, Machine	2	Ea.	9346277039055
51957	CV8	CV8 Shield Cup, hand (max. 50A)	2	Ea.	9346277039062
51958	CV9	CV9 Spacer for Contact Cutting, hand	2	Ea.	9346277039079
51959		Locking Nut	2	Ea.	9346277039093
51974		Spacer for Extended Tips High Amp.	2	Ea.	9346277039086
51910	CV11	CV11 Spacer Spring	2	Ea.	9346277037907
60370	CV12	CV12 Double pointed spacer	2	Ea.	9346277039116
60371	CV14	CV14 Crown spacer	2	Ea.	9346277039123
Compatible Trafimet®A140/P140®					
06200	PF101	PF101 Hand Torch Head	1	Ea.	9346277040877
60080		Front Insulator	1	Ea.	9346277038706
05004		Diffusor	5	Ea.	9346277038744
52535	PR101	PR101 Electrode	5	Ea.	9346277040617
60030	PE101	PE101 Swirl Ring	2	Ea.	9346277040624
51154	PD101-11	PD101-11 Tip Ø 1.1	10	Ea.	9346277040631
51155	PD101-14	PD101-14 Tip Ø 1.4	10	Ea.	9346277040648
51156	PD101-17	PD101-17 Tip Ø 1.7	10	Ea.	9346277040655
51157	PD101-19	PD101-19 Tip Ø 1.9	10	Ea.	9346277040952
51158	PD101-30	PD101-30 Gouging Tip Ø 3.0	10	Ea.	9346277040969
5005		Extended diffusor	5	Ea.	9346277040976
52530	PR116	PR116 Extended Electrode	5	Ea.	9346277040679
60031	PE103	PE103 Insulating spacer	2	Ea.	9346277040686
51149	PD111	PD111 Extended Tip Ø 1.1 (max. 50A)	10	Ea.	9346277040693
51149.14	PD117-14	PD117-14 Extended Tip Ø 1.4	10	Ea.	9346277040709
51149.17		PD117-17 Extended Tip Ø 1.7	10	Ea.	9346277040716
51149.19		PD117-19 Extended Tip Ø 1.9	10	Ea.	9346277041034
60375	PC101/102	PC101 Retaining Cap, Long Life	2	Ea.	9346277041041
60385	PC103/131	PC103 Contact Retaining Cap	2	Ea.	9346277041058
60385/V	PC103/131	PC131 Contact Retaining Cap, Max. Life	2	Ea.	9346277041065
51940	CV23	CV23 Spacer for Contact Cutting	2	Ea.	9346277040747
51945	CV39	CV39 Large spacer for Contact Cutting	2	Ea.	9346277040754
51952		Spring holder protection Nut	2	Ea.	9346277038997
51911		Spacer Spring	2	Ea.	9346277039000
51950		Spacer for Contact Cutting, hand	2	Ea.	9346277039024
51951		Shield Cup, Machine	2	Ea.	9346277039055
51957	CV8	CV8 Shield Cup, hand (max. 50A)	2	Ea.	9346277039062
51958	CV9	CV9 Spacer for Contact Cutting, hand	2	Ea.	9346277039079
51959		Locking Nut	2	Ea.	9346277039093
51974		Spacer for Extended Tips High Amp.	2	Ea.	9346277039086

Part No.	Reference	Description	MOQ	UOM	Barcode
51910	CV11	CV11 Spacer Spring	2	Ea.	9346277037907
60370	CV12	CV12 Double pointed spacer	2	Ea.	9346277039116
60371	CV14	CV14 Crown spacer	2	Ea.	9346277039123
60373	CV13	CV13 Gouging spacer	2	Ea.	9346277039130
51953		Gouging spacer	2	Ea.	9346277039017

Compatible Trafimet® R145/R145P®

05004		Diffusor	5	Ea.	9346277038744
52534	PR111	PR111 Electrode	5	Ea.	9346277041232
60031	PE103	PE103 Insulating spacer	2	Ea.	9346277040686
51241	PD109-14	PD109-14 Tip Ø 1.4	10	Ea.	9346277041256
51242	PD109-16	PD109-16 Tip Ø 1.6	10	Ea.	9346277041263
51243	PD109-18	PD109-18 Tip Ø 1.8	10	Ea.	9346277041270
51244	PD109-30	PD109-30 Gouging Tip Ø 3.0	10	Ea.	9346277041287
5005		Extended diffusor	5	Ea.	9346277040976
52530	PR116	PR116 Extended Electrode	5	Ea.	9346277040679
51149	PD111	PD111 Extended Tip Ø 1.1 (max 50A)	10	Ea.	9346277040693
51149.14	PD117-14	PD117-14 Extended Tip Ø 1.4	10	Ea.	9346277040709
51149.17	PD117-17	PD117-17 Extended Tip Ø 1.7	10	Ea.	9346277040716
51149.19	PD117-19	PD117-19 Extended Tip Ø 1.9	10	Ea.	9346277041034
60387	PC120	PC120 Retaining Cap	2	Ea.	9346277041355
60388	BW139	BW139 Nozzle shield	2	Ea.	9346277041362
60379	CV1105	CV1105 Cage spacer	2	Ea.	9346277041379
60385	PC103/131	PC103 Contact Retaining Cap	2	Ea.	9346277041058
60385/V	PC103/131	PC131 Contact Retaining Cap, Max. Life	2	Ea.	9346277041065
51952		Spring holder protection Nut	2	Ea.	9346277038997
51911		Spacer Spring	2	Ea.	9346277039000
51953		Gouging spacer	2	Ea.	9346277039017
51950		Spacer for Contact Cutting, hand	2	Ea.	9346277039024
51951		Shield Cup, Machine	2	Ea.	9346277039055
51957	CV8	CV8 Shield Cup, hand (max. 50A)	2	Ea.	9346277039062
51958	CV9	CV9 Spacer for Contact Cutting, hand	2	Ea.	9346277039079
51959		Locking Nut	2	Ea.	9346277039093
51974		Spacer for Extended Tips High Amp.	2	Ea.	9346277039086

Compatible Unitorch EL-120 TM HAND 30-120A

09000		Hand Torch 6m-20'	1	Ea.	9346277041492
07920		Hand Torch Head	1	Ea.	9346277041508
52600		Electrode, Air/N2	5	Ea.	9346277041515
07923		Start Cartridge, 30/120A	1	Ea.	9346277041522
60060		Gas Distributor 30/60A	1	Ea.	9346277041539
60061		Gas Distributor 60/120A	1	Ea.	9346277041546
51470		Tip, Cutting, Air/N2 30A	10	Ea.	9346277041553

Part No.	Reference	Description	MOQ	UOM	Barcode
51471		Tip, Cutting, Air/N2, 40A	10	Ea.	9346277041560
51472		Tip, Cutting, Air/N2, 50/60A	10	Ea.	9346277041577
51474		Tip, Cutting, Air/N2, 60A	10	Ea.	9346277041584
51475		Tip, Cutting, Air/N2, 70A	10	Ea.	9346277041591
51476		Tip, Cutting, Air/N2, 80A	10	Ea.	9346277041607
51477		Tip, Cutting, Air/N2, 90/100A	10	Ea.	9346277041614
51478		Tip, Cutting, Air/N2, 120A	10	Ea.	9346277041621
60442		Coil Spring	2	Ea.	9346277049368
60480		Shield Cup 30/60A	2	Ea.	9346277041638
60480/S		Shield Cup 30/60A Max Life	2	Ea.	9346277041645
60481		Shield Cup 60/120A	2	Ea.	9346277041652
60481/S		Shield Cup 60/120A Max Life	2	Ea.	9346277041669
60444		Double Pointed Spacer	2	Ea.	9346277041676
07106E		Handle With MicroSwitch	2	Ea.	9346277041683
07924		Insulator High Frequency 30/120A	2	Ea.	9346277041690
51480		Contact Tip Air/N2 30A	10	Ea.	9346277041706
51481		Contact Tip Air/N2 40A	10	Ea.	9346277041713
51482		Contact Tip Air/N2 50/60A	10	Ea.	9346277041720
51484		Contact Tip Air/N2 60A	10	Ea.	9346277041737
51485		Contact Tip Air/N2 70A	10	Ea.	9346277041744
51486		Contact Tip Air/N2 80A	10	Ea.	9346277041751
51487		Contact Tip Air/N2 90/100A	10	Ea.	9346277041768
51488		Contact Tip Air/N2 120A	10	Ea.	9346277041775
60482		Shield Cup Body 30/60A	2	Ea.	9346277041782
60482/S		Shield Cup Body Max Life 30/60A	2	Ea.	9346277041799
60483		Shield Cup Body 60/120A	2	Ea.	9346277041805
60483/S		Shield Cup Body Max Life 60/120A	2	Ea.	9346277041812
60485		Shield Cap hand 30/60A	2	Ea.	9346277041829
60486		Shield Cap hand 60/120A	2	Ea.	9346277041836
52603		Extended Electrode Air/N2	5	Ea.	9346277041843
51490		Extended Contact Tip Air/N2 30A	10	Ea.	9346277041850
51491		Extended Contact Tip Air/N2 40A	10	Ea.	9346277041867
51492		Extended Contact Tip Air/N2 50/60A	10	Ea.	9346277041874
51493		Extended Contact Tip Air/N2 60A	10	Ea.	9346277041881
51494		Extended Contact Tip Air/N2 70A	10	Ea.	9346277041898
51495		Extended Contact Tip Air/N2 80A	10	Ea.	9346277041904
51496		Extended Contact Tip Air/N2 90/100A	10	Ea.	9346277041911
51497		Extended Contact Tip Air/N2 120A	10	Ea.	9346277041928
60490		Extended shield Cap Hand 30/60A	2	Ea.	9346277041935
60491		Extended shield Cap Hand 60/120A	2	Ea.	9346277041942

Plasma Accessories

Part No.	Reference	Description	MOQ	UOM	Barcode
NTW30002		Air line regulator	1	Ea.	9346277041959
M26/AM		Submicronic Air Filter Unit (Discontinued)	1	Ea.	9346277027267
50500		Submicronic Air Filter Unit	1	Ea.	9346277049931
50505		Submicronic Filter Cartridge	4	Ea.	9346277047913
Plasma Roller Guides					
TJ1504		Roller Guide BZL PSB30	1	Ea.	9346277046893
TJ1506		Roller Guide BZL PSB31KK/HF	1	Ea.	9346277046909
TJ1508		Roller Guide HPR T60/80/100	1	Ea.	9346277046916
TJ1509		Roller Guide ProCut PC20/25/55/80	1	Ea.	9346277046923
TJ1510		Roller Guide T/D PCH51, ICE40C/50C/55C/80T	1	Ea.	9346277046930
TJ1511		Roller Guide T/D PCH10/50	1	Ea.	9346277046947
TJ1513		Roller Guide Esab PT23/PT27	1	Ea.	9346277046954
TJ1514		Roller Guide Esab PT17	1	Ea.	9346277046961
TJ1515		Roller Guide Esab PT31XL	1	Ea.	9346277046978
TJ1515V		Roller Guide Allmax Cut 50	1	Ea.	9346277046985
TJ1516		Roller Guide AG60 (With pilot arc)	1	Ea.	9346277046992
TJ1517		Roller Guide Esab PT25	1	Ea.	9346277047005
TJ1520		Roller Guide T/D 1 Torch SL60/SL100	1	Ea.	9346277047012
TJ1527		Roller Guide P70/PC60	1	Ea.	9346277047029
TJ1530		Roller Guide HPR PAC130	1	Ea.	9346277047036
TJ1532		Roller Guide T/D PCH52/10XR	1	Ea.	9346277047043
TJ1533		Roller Guide Trafimet S54/A80	1	Ea.	9346277047050
TJ1534		Roller Guide HPR PAC135T/PAC160	1	Ea.	9346277047067
TJ1536		Roller Guide Xcalibur Cut40/60	1	Ea.	9346277047074
TJ1537		Roller Guide Cebora P40/Viking STP	1	Ea.	9346277047081
TJ1539		Roller Guide BZL CUT 70	1	Ea.	9346277047098
TJ1540		Roller Guide BZL CUT 110/150	1	Ea.	9346277047104
TJ1542		Roller Guide T100/150 P100/150/160	1	Ea.	9346277047111
TJ1546		Roller Guide BOC Smoothcut 40	1	Ea.	9346277047128
TJ1549		Roller Guide BOC Smoothcut 80	1	Ea.	9346277047135
TJ1551		Roller Guide SAF CP40R/100R	1	Ea.	9346277047142
TJ1552		Roller Guide Esab PT32/PT34	1	Ea.	9346277047159
TJ1553		Roller Guide Trafimet S30/S45	1	Ea.	9346277047166
TJ1557		Roller Guide Trafimet S74	1	Ea.	9346277047173
TJ1560		Roller Guide BOC Smoothcut 160	1	Ea.	9346277047180
TJ1562		Roller Guide Tecmo Unitorch EL60/120	1	Ea.	9346277047197
TJ1576		Roller Guide Ausjet P60/70/100/125	1	Ea.	9346277047203
Plasma Cutting Kits					
CP1001	TJCP1001	Guide Kit T/D PCH51/ICE50C/55C/80T	1	Ea.	9346277047210
CP1002	TJCP1002	Guide Kit HPR T60/80/100	1	Ea.	9346277047227
CP1008	TJCP1008	Guide Kit BZL PSB30	1	Ea.	9346277047234

Part No.	Reference	Description	MOQ	UOM	Barcode
CP1011	TJCP1011	Guide Kit T/D PCH10/25/26/35/40/42/50	1	Ea.	9346277047241
CP1013	TJCP1013	Guide Kit Trafimet S54/A80	1	Ea.	9346277047258
CP1028	TJCP1028	Guide Kit Esab PT31XL	1	Ea.	9346277047265
CP1028V	TJCP1028V	Guide Kit Allmax Cut 50	1	Ea.	9346277047272
CP1037	TJCP1037	Guide Kit Cebora P40/Viking STP	1	Ea.	9346277047289
CP2001	TJCP2001	Guide Kit T/D PCH52/10XR	1	Ea.	9346277047296
CP2002	TJCP2002	Guide Kit HPR PAC130	1	Ea.	9346277047302
CP2004	TJCP2004	Guide Kit HPR PAC	1	Ea.	9346277047319
CP2008	TJCP2008	Guide Kit Esab PT17	1	Ea.	9346277047326
CP2009	TJCP2009	Guide Kit Esab PT23/PT27	1	Ea.	9346277047333
CP2025	TJCP2025	Guide Kit Esab PT25	1	Ea.	9346277047340
CP2027	TJCP2027	Guide Kit P70/PC60/V12/25	1	Ea.	9346277047357
CP2029	TJCP2029	Guide Kit Lincoln PC20/25/55/80	1	Ea.	9346277047364
CP2030	TJCP2030	Guide Kit Lincoln PC210/620	1	Ea.	9346277047371
CP2031	TJCP2031	Guide Kit BZL PSB31KK/HF	1	Ea.	9346277047388
CP2032	TJCP2032	Guide Kit Esab PT32/PT34	1	Ea.	9346277047395
CP2036	TJCP2036	Guide Kit Xcalibur Cut 40/60	1	Ea.	9346277047401
CP2039	TJCP2039	Guide Kit BZL CUT70	1	Ea.	9346277047418
CP2040	TJCP2040	Guide Kit BZL CUT110/150	1	Ea.	9346277047425
CP2042	TJCP2042	Guide Kit SAF CP40R/100R	1	Ea.	9346277047432
CP2045	TJCP2045	Guide Kit T/D 1 Torch/SL60/SL100	1	Ea.	9346277047449
CP2046	TJCP2046	Guide Kit BOC Smoothcut 40	1	Ea.	9346277047456
CP2049	TJCP2049	Guide Kit BOC Smoothcut 80	1	Ea.	9346277047463
CP2053	TJCP2053	Guide Kit Trafimet S30/S45	1	Ea.	9346277047470
CP2057	TJCP2057	Guide Kit Trafimet S74	1	Ea.	9346277047487
CP2060	TJCP2060	Guide Kit BOC Smoothcut 160	1	Ea.	9346277047494
CP2061	TJCP2061	Guide Kit Tecmo T100/150/ P100/150/160	1	Ea.	9346277047500
CP2062	TJCP2062	Guide Kit Tecmo Uitorch EL60EL120	1	Ea.	9346277047517
CP2063	TJCP2063	Guide Kit AG60 (With pilot arc)	1	Ea.	9346277047524
CP2075	TJCP2075	Guide Kit T/D PCH75/100XL	1	Ea.	9346277047531
CP2076	TJCP2076	Guide Kit Ausjet P60/70/100/125	1	Ea.	9346277047548